BMC₂

Medications Data Dictionary (PCI)

Blue Cross Blue Shield of Michigan (BMC2) PCI Registry Data Collection Definitions

Definitions updated 1/10/2022

Medications

Data Abstraction Instructions:

Record for each medication if it was administered Pre, During, and Post, if it was Contraindicated, and also if it was Not Given. Record for each medication if it was prescribed Home (at admission), Discharge.

Selections:

- Home(Medications at Admission) = Prescribed medications the patient was taking prior to the current episode of care.
- Pre = Medications administered from admission, or previous procedure, to the start of the current procedure.
- Within 24 hours=administered within 24 hours of PCI procedure start and/or during PCI procedure.
- During =Medications administered during the time the patient was in the procedure area for the current procedure. (while patient is physically in the PCI lab, PVI lab, or operating room).
- Post = Medications administered from the time the patient has left the procedure area through discharge, or next procedure, whichever is first.
- Discharge = Prescribed medications on which the patient was discharged.
 - Pt. deceased or discharge location(NCDR V5 #10110) "other acute care hospital", AMA, or (NCDR V5 #10115) Hospice Care
- Contraindicated = History of allergy/reaction/sensitivity/intolerance to medication that is documented in the patient record or a
 physician dictation which states a contraindication.
- Not Given = If the drug was not administered to the patient at any time.

Supporting Definitions:

Vascular surgery discharge medications should not be entered on a patient that dies prior to discharge.

For Combination Therapy record as follows:

In case of combination drugs individual components should be recorded unless the specific option is available to select. e.g., zestoretic is a combination of lisinopril and hydrochlorothiazide (HCTZ); this should be recorded as ACE inhibitor and diuretic. e.g. entresto is a combination of sacubitril and valsartan, since entresto is a specific selection, this should be recorded as entresto.

NOTE: Medication lists provided are not all inclusive.

Required:

ACE Inhibitor

Data Abstraction Instructions:

Record if prescribed, not prescribed, or contraindicated.

Selections:

- Prescribed
- Not Prescribed
- Contraindicated

Supporting Definitions:

Benazepril Lotensin

Panzaanril I UC

Benzaepril + HCTZ * Lotensin HCT

Benazapril + Amlodipine * Lotrel

Captopril Capoten

Captropril + HCTZ * Captozide

Cilazapril Inhibace

Cilazapril + HCTZ * Inhibace Plus

Enalapril

Vasotec, Enalaprilat

Enalapril + HCTZ * Vaseretic

Enalapril + Felodipine * Lexxel

Fosinopril Monopril

Fosinopril + HCTZ * Monopril HCT

Lisinopril Zestril, Prinivil

Lisinopril + HCTZ * Prinzide, Zestoretic

Moexipril Univasc

Moesipril + HCTZ * Uniretic

Perindopril Aceon

Quinapril Accupril

Quinapril + HCTZ * Accuretic

1/11/22, 1:38 PM

Trandolapril Mavik

Trandolapril + Verapamil * Tarka

Required: Yes

ARB

Data Abstraction Instructions:

Record if prescribed, not prescribed, or contraindicated.

Selections:

- Prescribed
- Not Prescribed
- Contraindicated

Supporting Definitions:

Candesartan

Atacand

Candesartan + HCTZ *

Atacand HCT

Eprosartan

Teveten

Eprosartan + HCTZ *

Teveten HTC

Irbesartan

Avapro

Irbesartan + HCTZ *

Avalide

Losartan

Cozaar

Losartan + HCTZ *

Hyzaar

Olmesartan

Benicar

Olmesartan + Amlodipine *

Azor

Olmesartan + HCTZ *

Benicar HCT

Olmesartan + Amlodipine + HCTZ *

Tribenzor

Telmisartan

Micardis

Telmisartan + HCTZ *

Micardis HCT

Valsartan

Diovan

Valsartan + HCTZ *

Diovan HCT

Valsartan + Amlodipine *

Exforge

Valsartan + Amlodipine + HCTZ *

Exforge HCT

Required:

Aldosterone Antagonist

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed

Selections:

At discharge:

- Prescribed
- Not Prescribed

Supporting Definitions:

Generic Aldosterone Antagonists

Brand Aldosterone Antagonists

eplernone Inspra

spironolactone Aldactone

Required:

Aspirin

Data Abstraction Instructions:

Record if Given, Not Given, and/or Contraindicated.

Selections:

- Given
 - o If given, choose all that apply.
- Not Given
- Contraindicated

Supporting Definitions:

To code "yes" for aspirin, the minimum dose should be at least 75mg.

Required:

Beta Blocker

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed

Selections:

At discharge:

- Prescribed
- Not Prescribed

Supporting Definitions:

Generic Beta Blocker

Brand Beta Blocker

acebutolol

Scetral

atenolol

Tenormin

betaxolol

Kerlon

bisoprolol

Zebeta

carvedilol

Coreg, Coreg CR

esmolol

Brevibloc

labetolol

Normodyne

metoprolol

Toprol, Toprol XL, Lopressor, Metoprolol Succinate ER, Metoprolol Tartrate

nadolol

Corgard

nebivolol

Bystolic

propranolol

InnoPranXL

Propranolol

Inderal, Hemanogeol

sotalol

Sotal Hydrochloride AF, Betapace, Betapace AF

timolol

Blocadren

Required:

1/11/22, 1:38 PM

Bivalirudin (Angiomax)

Data Abstraction Instructions:

Record if administered.

Selections:

Record if administered. (PCI Only)

Selections:

- Given
 - If yes given, choose all that apply.
 - During
 - Post
- Not Given

Required:

Cangrelor (Kengreal)

Data Abstraction Instructions:

Record if administered. (PCI Only)

Selections:

- Given
 - o If yes given, choose all that apply.
 - During
 - Post
- Not Given

Required:

Clopidogrel (Plavix)

Data Abstraction Instructions:

Record if Given, Not Given, and/or Contraindicated.

Selections:

- Given
 - o If given, choose all that apply.
- Not Given
- Contraindicated

Required:

Entresto

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed
*DO NOT CAPTURE OTHER MEDICATIONS CONTAINING VARIOUS ANGIOTENSIN II RECEPTOR BLOCKER AGENTS
WE ARE COLLECTING THE COMBINATION OF SACUBITRIL AND VALSARTAN ONLY

Selections:

At discharge:

- Prescribed
- Not Prescribed

Supporting Definitions:

Generic

Brand

sacubitril and valsartan

Entresto

Required:

Eptifibatide (Integrilin)

Data Abstraction Instructions:

Record if administered.

Selections:

Record if administered. (PCI Only)

Selections:

- Given
 - If yes given, choose all that apply.
 - During
 - Post
- Not Given

Required:

GLP-1 At Admission

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed.

Selections:

At Admission

- Prescribed
- Not Prescribed

Supporting Definitions:

Generic Glucagon-like peptide 1 agonist

Brand Glucagon-like peptide 1 agonist

Albiglutide

Tanzeum

Dulaglutide

Trulicity

Exenatide

Byetta

Extended-release exenatide

Bydureon

Liraglutide

Victoza

Lixisenatide

Adlyxin

Semaglutide

Ozempic, Rybelsus

Required:

GLP-1 At Discharge

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed.

Selections:

At Discharge:

- Prescribed
- Not Prescribed

Supporting Definitions:

Generic Glucagon-like peptide 1 agonist

Brand Glucagon-like peptide 1 agonist

Albiglutide

Tanzeum

Dulaglutide

Trulicity

Exenatide

Byetta

Extended-release exenatide

Bydureon

Liraglutide

Victoza

Lixisenatide

Adlyxin

Semaglutide

Ozempic, Rybelsus

Required:

Hydration

Data Abstraction Instructions:

Record given, not given and the number of ml/cc consumed (oral) or adminstered (IV).

Oral (PO) Hydration:

Pre includes any documented fluid intake comsumed by the patient within 6 hours prior to procedure start. Post includes any documented fluid intake consumed by the patient within 6 hours after procedure completion.

Intravenous (IV) Hydration:

Pre includes any documented normal saline and/or sodium bicarb IV infusion administered within 6 hours prior to procedure start. During includes any documented normal saline and/or sodium bicarb IV infusion administered during the procedure. Post includes any documented normal saline and/or sodium bicarb IV infusion administered within 6 hours after procedure end.

Selections:

Oral:

- Given
- 6hr pre ml or N/A
 - o 6hr post ml or N/A
- Not Given

Intravenous:

- Given
 - 6hr pre ml or N/A
 - o During ml or N/A
 - o 6hr post ml or N/A
- Not given

Required:

Yes

Minimum:

1

Maximum:

15000

IV Heparin/Unfractionated Heparin

Data Abstraction Instructions:

Record if Heparin was administered IV, IC or IA (bolus during the procedure) to the patient after procedure completion. Do not include low dose (unfractionated) heparin given SQ for DVT prophylaxis.

BMC2 PCI IS ONLY CAPTURING THE POST TIMEFRAME FOR THIS FIELD.

Selections:

- Given
- Not Given

Required:

IV Nitroglycerin

Data Abstraction Instructions:

Record if IV Nitroglycerin was administered. BMC2 PCI IS ONLY CAPTURING THE POST TIMEFRAME FOR THIS MEDICATION

PCI: Please only include nitroglycerine administered intravenously via continuous drip.

Selections:

- Given
- Not Given

Required:

IV Vasopressors

Data Abstraction Instructions:

Record if administered.

PCI: Excluded boluses doses administered only capture infusions administered.

Selections:

- Given
 - If given, choose all that apply.
- Not Given

Agent:

- Dopamine
- Norepinephrine
- Phenylephrine
- Other

Supporting Definitions:

Norepinephirine Epinephrine Dopamine Phenylephrine Vasopressin Dobutamine Giapreza (angiotensin II)

Required:

Icosapent Ethyl

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed.

Selections:

At Discharge:

- Prescribed
- Not Prescribed

Supporting Definitions:

Icosapent Ethyl

Vascepa

Required:

NSAID

Data Abstraction Instructions:

Record if Given, Not Given Record if Prescribed, Not Prescribed *DO NOT INCLUDE ASPIRIN

_						
Sel	\mathbf{a}	∩t I	\sim	n	c	

At admission

- Given
- Not Given

At discharge:

- Prescribed
- Not Prescribed

Supporting I	Definitions:
--------------	--------------

Generic NSAID Brand NSAID

Choline and magnesium salicylates CMT, Tricosal, Trilisate

Choline salicylate Arthropan

Celebrex Celebrex

Diclofenac potassium Cataflam

Diclofenac sodium Voltaren, Voltaren XR

Diflunisal Dolobid

Etodolac Lodine, Lodine XL

Fenoprofen calcium Nalfon

Flurbiprofen Ansaid

Ibuprofen Admit, Motrin, Motrin IB, Nuprin

Indomethacin Indocin, Indocin SR

Ketoprofen Actron, Orudis, Orudis KT, Oruvail

Toradol Ketorolac

Arthritab, Bayer Selec, Doan's Pills, Magan, Magnesium salicylate

Mobidin, Mobogesic

Meclofenamate sodium Meclomen

Mefenamic acid Ponstel

Meloxicam Mobic

Nabumetone Relafen

Naproxen Naprosyn, Naprelan

Naproxen socium Aleve, Anaprox

Oxaprozin Daypro

Piroxican Feldene

Rofecoxib Vioxx

Amigesic, Anaflex 750, Disalicid, Mathritic, Mono-**Salsalate**

Gesic, Salflex, Salsitab

Sodium salicylate various generics

Sulindac Clinoril

Tolmetin sodium Tolectin

Valdecoxib Bextra

Required:

1/11/22, 1:38 PM

Opioid

Data Abstraction Instructions:

Record if Given, Not Given Record if Prescribed, Not Prescribed

Selections:

At admission

- Given
- Not Given

At discharge:

- Prescribed
- Not Prescribed

Supporting Definitions:

Gerenic Opioid

Brand Opioid

Codeine

various

Fentanyl

Actiq, Duragesic, Sublimaze

Hydrocodone

Vidodin, Norco, others

Hydromorphone

Dilaudid

Meperidine

Demerol

Methadone

Dolophine, Methadose

Morphine

Duramorph, MS Contin

Oxycodone

OxyContin, Percodan, Percocet

Oxymorphone

Opana

Tramadol (Ultram, Ultram ER)

Required:

PPI (Proton Pump Inhibitor)

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed

Selections:

- Prescribed
- Not Prescribed

Supporting Definitions:

Generic PPI

Brand PPI

omeprazole

Priolosec, Prilosec OTC

lansoprazole

Prevacid, Prevacid 24-hour

dexlansoprazole

Dexilent, Dexilent Solutab

rabeprazole

Aciphex, Aciphex Sprinkle

pantoprazole

Protonix

esomeprazole

Nexium, Nexium 24 HR

omeprazole/sodium bicabonate

Zegerid, Zegerid OTC

Required:

Prasugrel (Effient)

Data Abstraction Instructions:

Record if Given, Not Given, and/or Contraindicated.

Selections:

- Given
 - o If given, choose all that apply.
- Not Given
- Contraindicated

Required:

SGLT2 Inhibitor

Data Abstraction Instructions:

Record if Prescribed, Not Prescribed

Selections:

At discharge:

- Prescribed
- Not Prescribed

Supporting Definitions:

Canagliflozin and Metformin Hydrochloride

Invokamet

Canagliflozin and Metformin Hydrochloride XR

Invokamet XR

Cangliflozin

Invokana

Dapagliflozin

Farixaga

Dapagliflozin and Metformin Hydrochloride ER

Xigduo

Emapgliflozin and Metformin Hydrochloride ER

Synjardy XR

Empagliflozin

Jardiance

Empagliflozin and Linagliptin

Glyxambi

Empagliflozin and Metformin Hydrochloride

Synjardy

Ertugilflozin and Sitagliptin

Steglujan

Ertugliflozin

Steglatro

Ertugliflozin and Metformin Hydrochloride

Segluromet

Required:

Statin

Data Abstraction Instructions:

Record if Given, Not Given, and/or Contraindicated.

Selections:

- Given
 - o If given, choose all that apply.
- Not Given
- Contraindicated

Supporting Definitions:

Atorvastatin	Lipitor
Cerristatin	Baycol
Fluvastatin	Lescol
Lovastatin	Mevacor
Pravastatin	Pravachol
Simvastatin	Zocor
Rosuvastatin	Crestor
Lovastatin + Niacin *	Advicor
Atorvastatin + Amlodipine *	Caduet
Simvastatin + Ezetimibe *	Vytorin
Simvastatin + Niacin *	Simcor
Pitavastatin	Livalo

Required:

Ticagrelor (Brilinta)

Data Abstraction Instructions:

Record if Given, Not Given, and/or Contraindicated.

Selections:

- Given
 - o If given, choose all that apply.
- Not Given

Required:

Tirofiban (Aggrastat)

Data Abstraction Instructions:

Record if administered.

Selections:

Record if administered. (PCI Only)

Selections:

- Given
 - If yes given, choose all that apply.
 - During
 - Post
- Not Given

Required: