

Voluntary PVI 2022 Website Changes for Coordinators

The changes in this document are effective February 1, 2022.

Medications

Medications Added to Website

Calcium Channel Blockers and Thiazides are added to Home Meds prior to admission and Meds at DC. Calcium Channel Blockers are located after ARBs. Thiazides are located between Calcium Channel Blockers and Statins. Examples of Calcium Channel Blockers and Thiazide medications are in the Medication Dictionary.

Dose (mg)

Enter the total dosage documented for the medications below. For example, if apixaban 2.5 mg BID is documented, enter 5 mg. This field will accept decimals. This field will display when Given is entered for the following medications:

- Apixaban (Eliquis)
- Dabigatran (Pradaxa)
- Edoxaban (Savaysa)
- Rivaroxaban (Xarelto)

Smoking Cessation

Smoking Cessation Counseling (on the discharge form)

Data Abstraction Instructions:

Indicate if the patient received physician-delivered advice, a prescription for nicotine replacement, and/or a referral for smoking cessation services submitted on the patient's behalf. Select all that apply.

Selections:

- Yes
 - Physician delivered advice
 - Patient refused
 - Nicotine replacement therapy (NRT)
 - Patient refused
 - Referral to smoking counseling services
 - Patient refused
 - Local counseling service
 - Michigan Quitline
 - Other counseling service
- No

Yes = Enter Yes for Smoking Cessation Counseling if Yes was entered for Current Smoker under Patient History / Comorbidity, and at least one of the three steps were implemented during the hospitalization or at discharge.

Physician delivered advice = A surgeon, advanced practice personnel (PA, NP), or resident has a conversation with the patient and recommends the patient stop smoking. A recommendation to stop smoking offered by a nurse, respiratory therapist, or student does not

Voluntary PVI 2022 Website Changes for Coordinators

count as physician-delivered advice.

If there is documentation that the provider recommended smoking cessation and the patient refused, enter Physician delivered advice AND Patient refused. There must be adequate documentation to support this claim.

Nicotine replacement therapy (NRT) = The provider ordered or continued NRT at discharge. NRT may include a nicotine patch, gum, lozenge, or other pharmacologic assistance (Varenicline or Bupropion).

If a patient refuses NRT, and there is provider documentation that NRT was offered and documentation that the patient refused, enter NRT AND Patient refused.

Referral to smoking counseling services = The provider documents during the hospital admission or at discharge that they referred the patient to a smoking counseling service. Smoking counseling services may include a hospital specialist, a smoking cessation class, the Michigan Tobacco Quitline, or a national smoking cessation service. The provider must recommend a smoking counseling service to the patient. The standard message to stop smoking on the AVS or discharge summary template is not sufficient.

If a physician, mid-level provider, or resident does an assessment and then puts in a referral to a respiratory therapist or a dedicated smoking cessation nurse to provide smoking cessation education, you can choose Referral to smoking counseling services.

If there is documentation that the provider recommended smoking counseling services and the patient refused, enter Referral to smoking counseling services, AND Patient refused. There must be adequate documentation to support this claim.

If the referral to smoking counseling services was submitted to the Michigan Tobacco Quitline, enter Referral to smoking counseling services AND Michigan Quitline.

Patient Refused = The provider documented that the patient refused the corresponding intervention.

Local counseling service = The provider refers the patient to the hospital's smoking counseling service or a community-based smoking counseling service. Enter Referral to smoking counseling services AND Local counseling service.

Michigan Quitline = The provider refers the patient to the Michigan Tobacco Quitline. Enter Referral to smoking counseling services AND Referral to Michigan Quitline.

Other counseling service = The provider refers the patient to a Federal or National smoking cessation service. Enter Referral to smoking counseling services AND Other counseling service.

No = Enter No for Smoking Cessation at Discharge if No was entered for Ever Smoked or current Smoker under Patient History / Comorbidity. Enter No if the patient is a current smoker; however, none of the three steps were implemented during the hospitalization or at discharge.